

Reviewed on 03/15/2017

1 Identification

- Product identifier
- Trade name: <u>Polyvinyl Alcohol (PVA) BF-series</u>
- · Synonyms: PVOH
- · CAS Number:
- 9002-89-5

· Application of the substance / the mixture

Raw Material for:

Synthetic resin

Adhesive

Emulsion polymerization aid, protective colloid, vinylon fiber, paper adhesive, thickener/modifier for PVAc glues, textile sizing agent, paper coatings, release liner, water-soluble film (for packaging), biodegradable plastic backing sheet, Carbon dioxide barrier for PET bottles, Hydrographics film, PVA fiber, polyvinyl nitrate, surfactant for polymer encapsulated nanobeads, protective chemical-resistant gloves, polyvinyl butyral

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Chang Chun Petrochemical Co. Ltd. 7th Fl., No. 301, SongJiang Rd. Taipei City, 10483, TAIWAN Tel: +886-2-2500-1800 Fax:+886-2-2501-8018 WWW.CCP.COM.TW

· Information department: SDS-info@ccp.com.tw

Emergency telephone number: During normal opening times: +886 2 2500 - 1800 (8:30-17:30; GMT+8)

2 Hazard(s) identification

· Classification of the substance or mixture:

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · Hazard pictograms None (Not Required) Not Regulated/Not Hazardous
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

• NFPA/HMIS Classification system:

• NFPA ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTHIFIRE1Fire1REACTIVITY0Reactivity0

· Other hazards: Powdered material may form explosive dust-air mixtures.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

9002-89-5 polyvinyl alcohol (fully hydrolyzed) >95%



Trade name: Polyvinyl Alcohol (PVA) BF-series

(Contd. of page 1)

<1%

Dangerous components:

67-56-1 methanol Flam. Lig

Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Generally the product does not irritate the skin.

Rinse cautiously with water for several minutes.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Do not induce vomiting unless directed to do so by medical personnel.

- Seek immediate medical advice.
- Most important symptoms and effects, both acute and delayed:

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eye, skin, nose, and throat.

• Indication of any immediate medical attention and special treatment needed Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder Carbon dioxide Water spray
- Special hazards arising from the substance or mixture

The product in the delivered form is not dust explosion capable. However, the enrichment of fine dust can lead to the danger of dust explosion.

- Advice for firefighters
- Protective equipment:
- Wear fully protective suit.

Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

- Ensure adequate ventilation
- Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Product forms slippery surface when combined with water.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Sweep up. Contain spilled material if possible. Collect in suitable and properly labeled containers. Pick up and arrange disposal without creating dust.

Dispose contaminated material as waste according to item 13.

Dispose of the collected material according to regulations.

(Contd. on page 3)

Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA HazCom 2012)

Printing date 03/15/2017

Trade name: Polyvinyl Alcohol (PVA) BF-series

• Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

Precautions for safe handling

Prevent formation of dust.

Use local exhaust ventilation if dust and aerosol are formed during handling. Any deposit of dust which cannot be avoided must be regularly removed. Ensure good ventilation/exhaustion at the workplace. Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Protect against electrostatic charges. Storage:

- Requirements to be met by storerooms and receptacles: Store in cool, dry place in tightly closed receptacles. • Further information about storage conditions:
- Protect from humidity and water. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:


Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines.

Local exhaust ventilation may be necessary for some operations.

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

· Control parameters

| · Components with limit values that require monitoring at the workplace: | | | | |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--|--|--|
| 67-56-1 methanol | | | | |
| PEL | Long-term value: 260 mg/m ³ , 200 ppm | | | |
| REL | Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin | | | |
| TLV | Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI | | | |
| · Ingredients with biological limit values: | | | | |
| 67-56-1 methanol | | | | |
| | 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) | | | |
| LI | (Contd. on page 4) | | | |



Reviewed on 03/15/2017

(Contd. of page 2)



Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA HazCom 2012)

Reviewed on 03/15/2017

Trade name: Polyvinyl Alcohol (PVA) BF-series

(Contd. of page 3)

- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not eat, drink, smoke or sniff while working.
- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses with side shields conforming to EN166, ANSI 87.1-2010, or equivalent.

· Body protection:

Protective work clothing

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

| · Appearance: | |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| Form: | Solid |
| Color: | White |
| · Odor: | Odorless |
| · Odor threshold: | Not determined. |
| · pH-value: | 5-7 (4wt% solution) |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | 180-230 °C (356-446 °F) Undetermined. |
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not applicable. |
| · Ignition temperature: | 440 °C (824 °F) (Dust) |
| · Decomposition temperature: | >220 °C (>428 °F) |
| | |

(Contd. on page 5) – US –



Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA HazCom 2012)

Reviewed on 03/15/2017

Trade name: Polyvinyl Alcohol (PVA) BF-series

| | | (Contd. of page 4) |
|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------|
| · Auto igniting: | Not determined. | |
| · Danger of explosion: | Risk of dust explosion. Dust Explosion Class ST1 (Weak explosion) | |
| Explosion limits: Lower: Upper: Minimum ignition energy: | 35 g/m3 (Dust) 6.26 kg/cm3 (Dust) 120 mJ | |
| · Vapor pressure: | Not determined. | |
| Density: Relative density Vapor density Evaporation rate | 1.23-1.31 g/cm³ (10.264-10.932 lbs/gal) Not determined. Not determined. Not determined. | |
| Solubility in / Miscibility with Water: | Soluble. | |
| · Partition coefficient (n-octanol/w | ater): Not determined. | |
| Viscosity: Dynamic: Kinematic: VOC content: | Not determined. Not determined. 2.0 % 20.0 g/l / 0.17 lb/gl | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- **Reactivity:** When properly handled and stored, no dangerous reaction is known.
- · Chemical stability: This product is stable under prescribed use and storage.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. To avoid thermal decomposition do not overheat.
- Possibility of hazardous reactions:

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Forms explosive gas mixture with air.

- Conditions to avoid: Protect from heat. Keep ignition sources away. Avoid static discharge.
- · Incompatible materials: Strong oxidizing agents
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide
- Aldehyde
- Acids

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Not classified based on available data.
- Skin corrosion/irritation:
- Not classified based on available data. Dust particles may mechanically irritate the skin/eye.

(Contd. on page 6)



Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA HazCom 2012)

Reviewed on 03/15/2017

Trade name: Polyvinyl Alcohol (PVA) BF-series

· Serious eye damage/eye irritation:

Not classified based on available data.

- Dust particles may mechanically irritate the skin/eye.
- Respiratory or skin sensitization: Not classified based on available data.
- Germ Cell Mutagenicity: Not classified based on available data.
- · Carcinogenicity: Not classified based on available data.
- Specific Target Organ Toxicity Single Exposure (STOT SE): Not classified based on available data. • Specific Target Organ Toxicity - Repeated Exposure (STOT RE):
- Not classified based on available data.
- · Aspiration Hazard: Not classified based on available data.

• Primary irritant effect:

on the skin:

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eye, skin, nose, and throat.

Based on available data, the classification criteria are not met.

[·] on the eye:

Dust particles may mechanically irritate the skin/eye.

Based on available data, the classification criteria are not met.

Sensitization: Based on available data, the classification criteria are not met.

Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

The substance is not subject to classification.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity:

Not classified based on available data.

9002-89-5 polyvinyl alcohol (fully hydrolyzed)

LC50/96h >10000 mg/l (fish)

- Persistence and degradability
 Easily biodegradable
 Degradation : ~90%% (30d, OECD N/A; B.O.D.)
 Source: External (M)SDS
- **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.

· Ecotoxical effects:

• Other information:

To our current best knowledge, the physical, chemical, toxicological, and ecotoxicological properties of this product have not been thoroughly investigated.

3

(Contd. of page 5)



(Contd. of page 6)

Trade name: Polyvinyl Alcohol (PVA) BF-series

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Any disposal method should also comply with national, regional, provincial, and local laws.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA None or Not Regulated.
- · UN proper shipping name
- DOT, ADR, ADN, IMDG, IATA None or Not Regulated.
- · Transport hazard class(es)
- · DOT, ADR, ADN, IMDG, IATA
- · Class
- None or Not Regulated. Packing group
- DOT, ADR, IMDG, IATA None or Not Regulated.
- · Environmental hazards:
- Marine pollutant:
- · Special precautions for user Not applicable.
- · UN "Model Regulation": None or Not Regulated.

No

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

| | · Section 355 (extremely hazardous substances): | |
|---------------------------------------------------|---------------------------------------------------------------|--|
| | Substance is not listed. | |
| · Section 313 (Specific toxic chemical listings): | | |
| | 67-56-1 methanol | |
| | TSCA (Toxic Substances Control Act): | |
| | Substance is listed. | |
| · Proposition 65 | | |
| | · Chemicals known to cause cancer: | |
| | Substance is not listed. | |
| | · Chemicals known to cause reproductive toxicity for females: | |
| | Substance is not listed. | |
| | (Contd. on page 8) | |



Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA HazCom 2012)

Reviewed on 03/15/2017

Trade name: Polyvinyl Alcohol (PVA) BF-series

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

• Chemicals known to cause developmental toxicity:

67-56-1 methanol

· Carcinogenic categories

• EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

Status of global inventories:

All component(s) within this product is listed or exempted from the following country's chemical inventory: USA - TSCA Australia - AICS Canada - DSL China - IECSC Japan - ENCS Korea - KECI New Zealand - NZIoC Philippine - PICCS

Taiwan - TCSI Mexico - INSQ

16 Other information

· Date of preparation / last revision 03/15/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity - Category 3 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 Sources Most toxicological and eco-toxicological data are obtained from European Chemical Agency (ECHA)'s

public dissemination website.

http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances

General Disclaimers:

CCP Group recommends that all the users/customers/recipients to study this Safety Data Sheet (SDS) carefully and understand all the data or any potential hazards associated with this product. Please consult



Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA HazCom 2012)

Printing date 03/15/2017

Reviewed on 03/15/2017

Trade name: Polyvinyl Alcohol (PVA) BF-series

(Contd. of page 8)

us —

with appropriate expert if necessary. The information herein is provided in good faith and is believed to be accurate on the date of issue. No warranty; expressed or implied; is given. It is the customer's/user's responsibility to ensure that they are complying with local, regional, state, provincial, and/or national laws in using this product, as regulatory requirement may differ at each level. It is also the customer's/user's responsibility to determine the necessary condition required for using this product safely, as actual operating or usage conditions are beyond CCP Group's control. CCP Group will not be responsible for any SDS obtained from elsewhere other than from CCP Group. If you are unsure whether the SDS you have is current or have obtained the SDS from another source; please contact us to obtain the latest version.